

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PORTABLE (OFF ROAD) STACKER

18" x 40'

- 24" Deep Truss, 2x2x1/4 Cord Angle, 1 1/2x1 1/2x3/16 Lattice
- Heavy Duty Undercarriage, 8x8 Tubing Axle, 16" Tires & Rims
- Lagged head 16" Dia., 1 15/16" Shaft & Ball Bearing
- Winged Tail, 1 15/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide #2, Motor mount, and guard
- Motor, 3 hp, TEFC, 230/460 volt
- Pioneer, 4" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 4" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pintail Tow Hook
- Tail Guard
- Primed & Painted

PRICE..... \$ 11,340.00

3 PLY BELT.....ADD.....\$ 250.00
BACK STOP.....ADD.....\$ 300.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment
F.O.B.Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

18" x 60'

- 36" Deep Truss, 3x3x1/4 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 8x8 Tubing Axle, 16" Tires & Rims
- Lagged head 16" Dia., 2 3/16" Shaft & Ball Bearing
- Winged Tail, 2 3/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide #3 Drive, Motor Mount, Belt Guard
- 7.5 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 4" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 4" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE.....\$ 14,045.00

BACK STOP.....ADD.....\$ 300.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment
F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION

PORTABLE (OFF ROAD) RADIAL STACKER

24" x 20'

- 
- 24" Deep Truss, 2x2x1/4 Cord Angle, 1 1/2x1 1/2x3/16 Lattice
 - Undercarriage, 8x8 Tubing Axle, 16" Tires & Rims
 - Lagged head 16" Dia., 1 15/16" Shaft & Ball Bearing
 - Winged Tail, 1 15/16" Shaft & Ball Bearings w/Screw Take-ups
 - WORLD WIDE #2, Motor mount, and guard
 - Motor, 3 hp, TEFC, 230/460 volt
 - Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
 - Pioneer, 5" Returns w/Brackets, 10' Centers
 - Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
 - 48" Load Zone w/Skirt Rubber
 - Pintail Tow Hook
 - Tail Guard
 - Primed & Painted,

PRICE.....\$ 9,900.00

BACK STOP.....ADD.....\$ 300.00

BELT SCRAPER.....ADD.....\$ 630.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com


Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION

PORTABLE (OFF ROAD) RADIAL STACKER

24" x 40'

- 
- 24" Deep Truss, 2x2x1/4 Cord Angle, 11/2x11/2x3/16 Lattice
 - Heavy Duty Undercarriage, 8x8 Tubing Axle, 16" Tires & Rims
 - Lagged head 16" Dia., 2 3/16" Shaft & Ball Bearing
 - Winged Tail, 2 3/16" Shaft & Ball Bearings w/Screw Take-ups
 - WORLD WIDE #3, Motor mount, and guard
 - Motor, 5 hp, TEFC, 230/460 volt
 - Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
 - Pioneer, 5" Returns w/Brackets, 10' Centers
 - Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
 - 48" Load Zone w/Skirt Rubber
 - Pintail Tow Hook
 - Tail Guard
 - Primed & Painted,

PRICE.....\$ 12,895.00

BACK STOP.....ADD.....\$ 300.00

BELT SCRAPER.....ADD.....\$ 630.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION

PORTABLE (OFF ROAD) RADIAL STACKER

24" x 50'

- 36" Deep Truss, 3x3x1/4 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 8x8 Tubing Axle, 16" Tires & Rims
- Lagged head 16" Dia., 2 3/16" Shaft & Ball Bearing
- Winged Tail, 14", 2 3/16" Shaft & Ball Bearings w/ Take-ups
- WORLD WIDE #3 drive, Motor mount, and guard
- Motor, 5 hp, TEFC, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pintail Tow Hook
- Tail Guard
- Primed & Painted

PRICE.....\$ 14,975.00

BACK STOP.....ADD.....\$ 300.00

BELT SCRAPER.....ADD.....\$ 630.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

24" x 60'

- 36" Deep Truss, 3x3x1/4 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 8x8 Tubing Axle, 16" Tires & Rims
- Lagged head 16" Dia., 2 3/16" Shaft & Ball Bearing
- Winged Tail, 2 3/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide #3 Drive, Motor Mount, Belt Guard
- 7.5 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 15,475.00

BACKSTOP.....ADD.....\$ 300.00

BELT SCRAPER.....ADD.....\$ 630.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

24" x 80'

- 36" Deep Truss, 3x3x1/4 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 8x8 Tubing Axle, 20" Tires & Rims
- Lagged head 16" Dia., 2 7/16" Shaft & Ball Bearing
- Winged Tail, 2 7/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide #4 Drive, Motor Mount, Belt Guard
- 15 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 21,860.00

PRICE W/ Catwalk.....\$ 3,600.00
POWER TRAVEL.....ADD.....2 hp.....\$ 3,000.00
BACKSTOP.....ADD.....\$ 300.00
3 PLY BELT.....ADD.....\$ 475.00
BELT SCRAPER.....ADD.....\$ 630.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment
F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

24" x 100'

- 36" Deep Truss, 3x4x1/4 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 10x10 Tubing Axle, 20" Tires & Rims
- Lagged head 16" Dia., 2 15/16" Shaft & Ball Bearing
- Winged Tail, 2 15/16" Shaft & Ball Bearings w/Screw Take-ups
- WORLD Wide #5 Drive, Motor Mount, Belt Guard
- 20 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 29,430.00

PRICE W/ Catwalk.....\$ 4,500.00
POWER TRAVEL.....ADD.....2 hp.....\$ 3,000.00
BACKSTOP.....ADD.....\$ 500.00
3 PLY BELT.....ADD.....\$ 600.00
BELT SCRAPER.....ADD.....\$ 630.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment
F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

24" x 110'

- 
- 48" Deep Truss, 3x4x5/16 Cord Angle, 2x2x1/4 Lattice
 - Heavy Duty Undercarriage, 20" Tires & Rims
 - Lagged head 18" Dia., 3 7/16" Shaft & Roller Bearing
 - Mid type wrap drive with snub roller – 2 15/16 Shaft & Roller Bearings
 - Winged Tail, 2 15/16" Roller Bearings w/Screw Take-ups
 - World Wide #6 Drive, Motor Mount, Belt Guard
 - 25 hp, TEFC, 1800 RPM, 230/460 volt
 - Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
 - Pioneer, 5" Returns w/Brackets, 10' Centers
 - Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
 - 48" Load Zone w/Skirt Rubber
 - Pivot Plate
 - Tail Guard
 - Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 31,425.00

PRICE W/ Catwalk.....\$ 4,950.00
POWER TRAVEL.....ADD.....\$ 3,000.00
BACKSTOP.....ADD.....\$ 700.00
BELT SCRAPER.....ADD.....\$ 630.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment
F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC


Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

24" x 120'

- 
- 48" Deep Truss, 3x4x5/16 Cord Angle, 2x2x1/4 Lattice
 - Heavy Duty Undercarriage, 20" Tires & Rims
 - Lagged head 18" Dia., 2 15/16" Shaft & Ball Bearing
 - Mid type wrap drive with snub roller, 2 15/16 Shaft & Ball Bearings
 - Winged Tail, 2 15/16" Ball Bearings w/Screw Take-ups
 - World Wide #6 Drive, Motor Mount, Belt Guard
 - 25 hp, TEFC, 1800 RPM, 230/460 volt
 - Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
 - Pioneer, 5" Returns w/Brackets, 10' Centers
 - Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
 - 48" Load Zone w/Skirt Rubber
 - Pivot Plate
 - Tail Guard
 - Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 32,225.00

PRICE W/ Catwalk.....\$ 5,400.00
POWER TRAVEL.....ADD.....\$ 3,000.00
BACKSTOP.....ADD.....\$ 500.00
BELT SCRAPER.....ADD.....\$ 630.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment
F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PORTABLE (OFF ROAD) STACKER

30" x 20'

- 24" Deep Truss, 2x2x1/4 Cord Angle, 1 1/2x1 1/2x3/16 Lattice
- Undercarriage, 8x8 Tubing Axle, 16" Tires & Rims
- Lagged head 16" Dia., 1 15/16" Shaft & Ball Bearing
- Winged Tail, 1 15/16" Shaft & Ball Bearings w/Screw Take-ups
- WORLD WIDE #2, Motor mount, and guard
- Motor, 3 hp, TEFC, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pintail Tow Hook
- Tail Guard
- Primed & Painted

PRICE.....\$ 10,825.00

BACK STOP.....ADD.....\$ 300.00

BELT SCRAPER.....ADD.....\$ 650.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.Boswell, PA

Larry Franklin
Portable Stackers, LLC


Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

30" x 40'

- 
- 24" Deep Truss, 2x2x1/4 Cord Angle, 1 1/2x1 1/2x3/16 Lattice
 - Heavy Duty Undercarriage, 8x8 Tubing Axle, 16" Tires & Rims
 - Lagged head 16" Dia., 2 3/16" Shaft & Ball Bearing
 - Winged Tail, 2 3/16" Shaft & Ball Bearings w/Screw Take-ups
 - World Wide #3 Drive, Motor Mount, Belt Guard
 - 7.5 hp, TEFC, 1800 RPM, 230/460 volt
 - Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
 - Pioneer, 5" Returns w/Brackets, 10' Centers
 - Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
 - 48" Load Zone w/Skirt Rubber
 - Pivot Plate, Tow Hook
 - Tail Guard
 - Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE.....\$ 13,875.00

BACK STOP.....ADD.....\$ 300.00

BELT SCRAPER.....ADD.....\$ 650.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

30" x 50'

- 36" Deep Truss, 3x3x1/4 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 8x8 Tubing Axle, 16" Tires & Rims
- Lagged head 16" Dia., 2 3/16" Shaft & Ball Bearing
- Winged Tail, 2 3/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide #3 Drive, Motor Mount, Belt Guard
- 7.5 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE.....\$ 15,525.00

BACK STOP.....ADD.....\$ 300.00

BELT SCRAPER.....ADD.....\$ 650.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

30" x 60'

- 36" Deep Truss, 3x3x1/4 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 8x8 Tubing Axle, 16" Tires & Rims
- Lagged head 16" Dia., 2 7/16" Shaft & Ball Bearing
- Winged Tail, 2 7/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide #4 Drive, Motor Mount, Belt Guard
- 10 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 17,645.00

PRICE W/ Catwalk..... \$ 2,700.00

POWER TRAVEL..... ADD..... \$ 3,000.00

BACKSTOP..... ADD..... \$ 400.00

BELT SCRAPER..... ADD..... \$ 650.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER 30" x 80'

- 36" Deep Truss, 3x3x1/4 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 8x8 Tubing Axle, 20" Tires & Rims
- Lagged head 16" Dia., 2 15/16" Shaft & Ball Bearing
- Winged Tail, 2 15/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide #5 Drive, Motor Mount, Belt Guard
- 20 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Swivel Pivot plate
- Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 23,265.00

PRICE W/ Catwalk..... \$ 3,600.00

POWER TRAVEL..... ADD..... 2 hp..... \$ 3,000.00

BACKSTOP..... ADD..... \$ 400.00

BELT SCRAPER..... ADD..... \$ 650.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

30" x 100'

- 36" Deep Truss, 3x4x 5/16 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 10x10 Tubing Axle, 20" Tires & Rims
- Wrap type mid drive with snub
- Lagged head 18" Dia., 2 15/16" Shaft & Ball Bearing
- Winged Tail, 2 15/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide #6 Drive, Motor Mount, Belt Guard
- 25 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 31,715.00

PRICE W/ Catwalk.....\$ 4,500.00
POWER TRAVEL.....ADD.....\$ 3,000.00
BACKSTOP.....ADD.....\$ 400.00
3 PLY BELT.....ADD.....\$ 650.00
BELT SCRAPER.....ADD.....\$ 650.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment
F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

30" x 110'

- 36" Deep Truss, 3x4x 5/16 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 10x10 Tubing Axle, 20" Tires & Rims
- Wrap type mid drive with snub
- Lagged head 18" Dia., 2 15/16" Shaft & Ball Bearing
- Winged Tail, 2 15/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide #5 Drive, Motor Mount, Belt Guard
- 20 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 32,865.00

PRICE W/ Catwalk.....\$ 4,950.00
POWER TRAVEL.....ADD.....\$ 3,000.00
BACKSTOP.....ADD.....\$ 400.00
3 PLY BELT.....ADD.....\$ 650.00
BELT SCRAPER.....ADD.....\$ 650.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment
F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER LIGHT DUTY ONLY 30" x 120'

- 48" Deep Truss, 3x4x5/16 Cord Angle, 2x2x1/4 Lattice
- Low profile tail, (Approximately 42")
- Heavy Duty Undercarriage, 10x10 Tubing Axle, 20" Tires & Rims
- Wrap type mid drive
- Lagged head 18" Dia., 2 15/16" Shaft & Ball Bearing
- Winged Tail, 2 15/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide /WW #6-15 Drive, Motor Mount, Belt Guard
- 25 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, 2 Ply, 220 PIW, 3/16 x 1/16 cover
- 48" Receiving Hopper w Skirt Rubber, extended sides
- Pivot Plate, Tow Hook, weight box (weight not included)
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 34,490.00

PRICE W/ CHEVRON BELT.....	\$ 2,200.00
POWER TRAVEL..... ADD.....	\$ 3,000.00
BACKSTOP..... ADD.....	\$ 500.00
BELT SCRAPER..... ADD.....	\$ 650.00
CATWALK..... ADD.....	\$ 5,400.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment
F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PORTABLE (OFF ROAD) STACKER

36" x 20'

- 24" Deep Truss, 2x2x1/4 Cord Angle, 1 1/2x1 1/2x3/16 Lattice
- Undercarriage, 8x8 Tubing Axle, 16" Tires & Rims
- Lagged head 16" Dia., 1 15/16" Shaft & Ball Bearing
- Winged Tail, 1 15/16" Shaft & Ball Bearings w/Screw Take-ups
- WORLD WIDE #2, Motor mount, and guard
- Motor, 3 hp, TEFC, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pintail Tow Hook
- Tail Guard
- Primed & Painted

PRICE.....\$ 11,000.00

BACK STOP.....ADD.....\$ 300.00

BELT SCRAPER.....ADD.....\$ 700.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

36" x 40'

- 24" Deep Truss, 2x2x1/4 Cord Angle, 1 1/2x1 1/2x3/16 Lattice
- Heavy Duty Undercarriage, 8x8 Tubing Axle, 16" Tires & Rims
- Lagged head 16" Dia., 2 3/16" Shaft & Ball Bearing
- Winged Tail, 2 3/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide #3 Drive, Motor Mount, Belt Guard
- 7.5 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE.....\$ 13,975.00

BACK STOP.....ADD.....\$ 400.00

BELT SCRAPER.....ADD.....\$ 700.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

36" x 50'

- 36" Deep Truss, 3x3x1/4 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 8x8 Tubing Axle, 16" Tires & Rims
- Lagged head 16" Dia., 2 3/16" Shaft & Ball Bearing
- Winged Tail, 2 3/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide #3 Drive, Motor Mount, Belt Guard
- 7.5 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE.....\$ 16,250.00

BACK STOP.....ADD.....\$ 400.00

BELT SCRAPER.....ADD.....\$ 700.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

36" x 60'

- 36" Deep Truss, 3x3x1/4 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 8x8 Tubing Axle, 20" Tires & Rims
- Lagged head 16" Dia., 2 7/16" Shaft & Ball Bearing
- Winged Tail, 2 7/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide #4 Drive, Motor Mount, Belt Guard
- 15 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE.....\$ 18,700.00

BACK STOP.....ADD.....\$ 400.00

BELT SCRAPER.....ADD.....\$ 700.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

36" x 80'

- 36" Deep Truss, 3x3x1/4 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 8x8 Tubing Axle, 20" Tires & Rims
- Lagged head 16" Dia., 2 15/16" Shaft & Ball Bearing
- Winged Tail, 2 15/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide #5 Drive, Motor Mount, Belt Guard
- 20 hp, TEFC, 1800 RPM
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w /Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 25,700.00

PRICE W/ Catwalk.....\$ 3,600.00
POWER TRAVEL.....ADD.....\$ 3,000.00
BACKSTOP.....ADD.....\$ 500.00
3 PLY BELT.....ADD.....\$ 550.00
BELT SCRAPER.....ADD.....\$ 700.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment
F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

36" x 100'

- 36" Deep Truss, 3x4x5/16 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 10x10 Tubing Axle, 20" Tires & Rims
- Wrap type mid drive
- Lagged head 18" Dia., 2 15/16" Shaft & Ball Bearing
- Winged Tail, 2 15/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide #6 Drive, Motor Mount, Belt Guard
- 25 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 33,415.00

PRICE W/ Catwalk.....	\$ 4,500.00
POWER TRAVEL..... ADD.....	\$ 3,000.00
BACKSTOP..... ADD.....	\$ 500.00
3 PLY BELT..... ADD.....	\$ 600.00
BELT SCRAPER..... ADD.....	\$ 700.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment
F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER LIGHT DUTY GRAIN ONLY

36" x 120'

- 48" Deep Truss, 3x4x5/16 Cord Angle, 2x2x1/4 Lattice
- Low profile tail, (Approximately 42")
- Heavy Duty Undercarriage, 10x10 Tubing Axle, 20" Tires & Rims (USED)
- Wrap type mid drive
- Lagged head 18" Dia., 3 7/16" Shaft & Roller Bearing
- Winged Tail, 2 15/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide /WSMR 6-9/1 Drive, Motor Mount, Belt Guard
- 30 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- **Belt, 2 Ply, 220 PIW, Chevron V-Cleat**
- 8'-0" Receiving Hopper w Skirt Rubber, extended sides
- Pivot Plate, Tow Hook, weight box (weight not included)
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE.....\$ 41,975.00

POWER TRAVEL.....ADD..... \$ 3,000.00 ea

BACKSTOP.....ADD..... \$ 500.00

SECOND AXLE (LATERAL OR PARALLEL) (16" Tires).....ADD..... \$ 2,000.00

SECOND AXLE (Lateral or Parallel) (20" Tires).....ADD.....\$ 3,400.00*

***THIS AXLE IS REQUIRED IF SECOND POWER TRAVEL IS SPECIFIED**

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

36" x 120'

- 48" Deep Truss, 3x4x5/16 Cord Angle, 2x2x1/4 Lattice
- Low profile tail, (Approximately 42")
- Heavy Duty Undercarriage, 10x10 Tubing Axle, 20" Tires & Rims
- Wrap type mid drive- 16" Snub - 3 7/16" Shaft & Roller Bearing
- Lagged head 18" Dia., 3 7/16" Shaft & Roller Bearing
- 14" Winged Tail, 3 7/16" Shaft & Roller Bearings w/Screw Take-ups
- World Wide /WW #6-25 Drive, Motor Mount, Belt Guard
- 30 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, 2 Ply, 220 PIW, 3/16 x 1/16 cover
- 48" Receiving Hopper w Skirt Rubber, extended sides
- Pivot Plate, Tow Hook, weight box (weight not included)
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 40,195.00

PRICE W/ CHEVRON BELT.....\$ 2,100.00
POWER TRAVEL.....ADD.....\$ 3,000.00
BACKSTOP.....ADD.....\$ 500.00
BELT SCRAPER.....ADD.....\$ 700.00
CATWALK.....ADD.....\$ 5,400.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment
F.O.B.Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER LIGHT DUTY GRAIN ONLY

36" x 130'

- 48" Deep Truss, 3x4x5/16 Cord Angle, 2x2x1/4 Lattice
- Low profile tail, (Approximately 42")
- Heavy Duty Undercarriage, 10x10 Tubing Axle, 20" Tires & Rims (USED)
- Wrap type mid drive
- Lagged head 18" Dia., 3 7/16" Shaft & Roller Bearing
- 14" Plain Drum Tail, 2 15/16" Shaft & Ball Bearings w/Screw Take-ups
- World Wide /WSMR6-9 Drive, Motor Mount, Belt Guard
- 30 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, 2 Ply, Chevron V-Cleat
- 8'-0" Receiving Hopper w Skirt Rubber, extended sides
- Pivot Plate, Tow Hook, weight box (weight not included)
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE.....\$ 44,500.00

POWER TRAVEL.....ADD.....\$ 3,000.00 ea

BACKSTOP.....ADD.....\$ 500.00

SECOND AXLE (LATERAL OR PARALLEL) (16" Tires).....ADD.....\$ 2,000.00

SECOND AXLE (Lateral or Parallel) (20" Tires)..... ADD.....\$ 2,900.00*

***THIS AXLE IS REQUIRED IF SECOND POWER TRAVEL IS SPECIFIED**

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

42" x 60'

- 36" Deep Truss, 3x3x1/4 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 8x8 Tubing Axle, 20" Tires & Rims
- Lagged head 16" Dia., 3 7/16" Shaft & Jones Roller Bearing
- 14" Winged Tail, 3 7/16" Shaft & Jones Roller Bearings w/Screw Take-ups
- World Wide #6-25 Drive, Motor Mount, Belt Guard
- World Wide - 25 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 3 Ply, 330 PIW, 1/4 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 25,975.00

PRICE W/ Catwalk.....\$ 2,700.00

POWER TRAVEL.....ADD.....\$ 3,000.00

BACKSTOP.....ADD.....\$ 500.00

BELT SCRAPER.....ADD.....\$ 700.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

42" x 80'

- 36" Deep Truss, 3x4x5/16 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 10x10 Tubing Axle, 20" Tires & Rims
- Lagged head 16" Dia., 3 7/16" Shaft & Roller Bearing
- Winged Tail, 2 15/16" Shaft & Roller Bearings w/Screw Take-ups
- World Wide #6 Drive, Motor Mount, Belt Guard
- 25 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 27,800.00

PRICE W/ Catwalk.....\$ 3,600.00

POWER TRAVEL.....ADD.....\$ 3,000.00

BACKSTOP.....ADD.....\$ 700.00

BELT SCRAPER.....ADD.....\$ 750.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

42" x 100'

- 36" Deep Truss, 3x4x5/16 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, 10x10 Tubing Axle, 20" Tires & Rims
- Wrap type mid drive with snub
- Lagged head 18" Dia., 3 7/16" Shaft & Roller Bearing
- Winged Tail, 3 7/16" Shaft & Roller Bearings w/Screw Take-ups
- World Wide #6 Drive, Motor Mount, Belt Guard
- 30 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate, Tow Hook
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 36,895.00

PRICE W/ Catwalk.....	\$ 4,500.00
POWER TRAVEL..... ADD.....	\$ 3,000.00
BACKSTOP..... ADD.....	\$ 700.00
BELT SCRAPER..... ADD.....	\$ 750.00
CHEVRON BELT..... ADD.....	\$ 1,850.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment
F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

48" x 60'

- 36" Deep Truss, 3x4x5/16 Cord Angle, 2x2x1/4 Lattice
- Heavy Duty Undercarriage, Heavy Duty Axle, 20" Tires & Rims
- Lagged head 16" Dia., 3 7/16" Shaft & Roller Bearing
- Winged Tail, 14", 3 7/16" Shaft & Roller Bearings w/Screw Take-ups
- World Wide #6-25 Drive, motor mount
- 30 hp, TEFC, 1800 RPM, 230/460 volt
- Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
- Pioneer, 5" Returns w/Brackets, 10' Centers
- Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
- 48" Load Zone w/Skirt Rubber
- Pivot Plate at tail
- Tail Guard
- Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 26,970.00

PRICE W/ Catwalk.....\$ 2,700.00

POWER TRAVEL.....ADD.....\$ 3,000.00

BACKSTOP.....ADD.....\$ 500.00

BELT SCRAPER.....ADD.....\$ 820.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment

F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC


Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

48" x 80' STANDARD DUTY

- 
- 36" Deep Truss, 3x4x5/16 Cord Angle, 2x2x1/4 Lattice
 - Heavy Duty Undercarriage, Heavy Duty Axle, 20" Tires & Rims
 - Lagged head 16" Dia., 3 7/16" Shaft & Roller Bearings
 - Winged Tail, 14, 3 7/16" Shaft & Roller Bearings w/Screw Take-ups
 - World Wide, Shaft mount #6 Drive
 - 30 hp, TEFC, 1800 RPM, 230/460 volt
 - Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
 - Pioneer, 5" Returns w/Brackets, 10' Centers
 - Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
 - 48" Load Zone w/Skirt Rubber
 - Pivot Plate
 - Tail Guard
 - Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 30,425.00

PRICE W/ Catwalk..... \$ 3,600.00
POWER TRAVEL..... ADD..... \$ 3,000.00
BACKSTOP..... ADD..... \$ 700.00
BELT SCRAPER..... ADD..... \$ 820.00
CHEVRON BELT..... ADD..... \$ 1,700.00

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment
F.O.B.....Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com

Portable Stackers, LLC

Price Effective 3/30/2020

QUOTATION PIT PORTABLE RADIAL STACKER

48" x 100' LIGHT DUTY ONLY

- 
- 48" Deep Truss, 3x4x5/16 Cord Angle, 2x2x1/4 Lattice
 - Heavy Duty Undercarriage, Heavy Duty Axle, 20" Tires & Rims
 - Lagged head 18" Dia., 3 7/16" Shaft & Roller Bearings
 - Mid Type Wrap Drive – 16" Snub 3 7/16 Shaft & Roller Bearings
 - Winged Tail, 14", 3 7/16" Shaft & Roller Bearings w/Screw Take-ups
 - World Wide #6 Drive, Mid Wrap type drive
 - 30 hp, TEFC, 1800 RPM, 230/460 volt
 - Pioneer, 5" x 35 deg., CEMA C Top Rollers on 48" Centers
 - Pioneer, 5" Returns w/Brackets, 10' Centers
 - Belt, Rubber, 2 Ply, 220 PIW, 3/16 x 1/16 Cover
 - 48" Load Zone w/Skirt Rubber
 - Pivot Plate
 - Tail Guard
 - Primed & Painted, Tool Steel Gray, Unless Specified Differently

PRICE..... \$ 43,925.00

Not intended for materials greater than 50 lbs/ft³

Note: Motor & Reducer Sizing determination is the responsibility of the Customer unless operating parameters are specifically Specified by others.

Note: Guarding provided is NOT guaranteed to satisfy all Local, State or Federal Requirements

Terms:.....25% with order, remainder C.O.D. prior to shipment
F.O.B.Boswell, PA

Larry Franklin
Portable Stackers, LLC

Phone: 412-855-6240
larry@portablestackers.com